Overview of health and wellbeing




VÕRU COUNTY

This document summarizes selected data on health and well-being in the county. The aim is to present comparable and standardized health indicators. This information gives input to the regional planning of services for improving the health and wellbeing of inhabitants.

It is compiled by specialists of National Institute for Health Development, in collaboration with Ministry of Social Affairs and Statistics Estonia.

Additional information about the data used in the overview can be found online at: www.terviseinfo.ee/maakonnatervise

STRUCTURE OF VÕRU COUNTY'S POPULATION



Population: 35 063 (01.01.2011) **Percentage of Estonian population:** 3%

Area: 2305,44 km²

Population density: 15,4 inhabitants per km² **County centre**: Võru (13 078 inhabitants) **Municipalities:** 13, incl. 1 urban and 12 rural

Economic activity: timber- and furniture manufacturing, food processing industry, metal- and plastic indus-

try, light industry, construction, transport

POSITIVE DEVELOPMENTS

- Early mortality rate (before the age of 65) has decreased during last years
- Below average incidence of cancer
- The lowest child mortality in Estonia (no registered deaths in past three years)
- The proportion of overweight schoolchildren has decreased during last few years
- Below average teenage pregnancy rate
- Below average incidence rate of hepatitis and sexually transmitted diseases
- Below average proportion of severe and fatal work-related accidents

CHALLENGES

- Highest proportion of elderly in Estonia
- Above average at-risk-of-poverty rate
- Below average life expectancy at birth
- Below average proportion of people who rate their health "good" or "very good"
- Above average proportion of regular alcohol consumers
- Above average proportion of people with limitations of everyday activities due to health problems
- Above average burden of disease (incl. years of life lost due to both morbidity and mortality)
- Below average number of nursing care hospital beds




Self-rated health (good and very good)

70 Self-rated health, good or very good, 60 50 52,9 40 41,0 30 20 10 0 2010 2004 2005 2006 2007 2008 2009 Võru county Estonia


Source: Statistics Estonia

Deaths before the age of 65 years




Source: Statistics Estonia

Deaths due to malignant neoplasms, diseases of circulatory system, and injury and poisoning




Source: Causes of Death Registry, National Institute for Health Development

At-risk-of-poverty rate




Source: Statistics Estonia

Overweight and obese children



Source: Estonian Health Insurance Fund

Administrative capacity of the municipalities




The index of administrative capacity is calculated using 26 indicators from six domains: population and area of the municipality, strength and diversity of local economy, wellbeing of inhabitants of the municipality, financial situation of the municipality, strength of the municipality's administration, and volume and diversity of the municipality's public services.

Administrative capacity of a municipality is expressed both in administrative ability and the general results of the administration on the territory of municipality. The map shows the index of administrative capacity in municipalities, average for the years 2006-2009.


Source: Geomedia, Ministry of the Interior

Sum of 2001-2010 net migration in municipalities *



Source: Statistics Estonia * v.—parish, I.—town. Municipalities of the county.

Inhabitants with limitations due to health problems



Source: Statistics Estonia

Burden of disease in the municipalities




Burden of disease is calculated based on morbidity and mortality statistics; in addition the gravity of disease and people's age at the time of death are taken into account.

Burden of disease indicates how many years of life inhabitants have lost due to diseases and mortality. These are life years that people could have lived healthily, if there had not been the disease or death. Burden of disease is used as an indicator for comparing regions to each other or mapping the developments in time. The map shows years of life lost per 1000 inhabitants in 2006.


Source: Ministry of Social Affairs

Teenage pregnancies (births and abortions)



Source: Medical Birth Registry, National Institute for Health Development

Average gross salary (EUR)



Source: Statistics Estonia



The graph compares health indicators in the county to Estonian average. Position of the county, compared to Estonian average is indicated by coloured spot, gray area depicts the distribution of the rest of the counties.

Better than Estonian average

No difference from Estonian average

Worst

Worse than Estonian average

Worst

Best

25 Percentile 75

Ë			Võru county		Estonian average	Estonian worst		Estonian best
Domain		Indicator	Number	Rate / %			Position to Estonian average	
Population and Social Life	1	Natural increase	-195	-5,4	-0,2	-6,7		4,6
	2	Net migration	-235	-6,5	-1,0	-12,8		6,0
	3	Proportion of the elderly (aged 65+) (%)		20,5	17,2	20,5	•	15,2
	4	Proportion of young people (aged 0-14) (%)		14,7	15,2	13,3	0	17,2
	5	Life expectancy at birth	75	75,0	75,8	72,3		76,9
on al	6	Employment rate (%)		58,0	62,7	48,1	0	68,6
Populati	7	Average monthly gross salary (eur)	628	627,9	792,3	594,1		901,2
	8	At-risk-of-poverty rate (%)		23,4	15,8	24,7		9,5
	9	Violent offences	162	4,5	4,4	6,6		2,2
	10	Air pollution	243	6,8	14,3	93,4	O	1,4
Health Behaviour	11	Regular alcohol consumption (%)		26,9	20,9	30,3		14,1
	12	Overweight and obesity, adults (%)		50,4	49,1	58,3	0	42,6
	13	Overweight and obesity, children (%)		9,0	9,8	11,6	0	6,3
	14	Daily smokers (%)		25,1	27,4	36,9	0	18,2
	15	Smoking while pregnant (%)	31	9,7	8,4	17,7		4,6
	16	Teenage (15-17 years) pregnancies	15	18,8	23,3	31,4	0	17,1
Healthcare	17	Health insurance coverage (%)	17895	87,2	87,7	83,3		89,2
	18	General practitioners	22	59,0	62,1	47,5	O	79,7
	19	Long-term care beds	32	439,9	682,8	0,0		1178,7
Health Status	20	Incidence of malignant neoplasms	175	458,5	506,2	617,6	0	397,7
	21	Incidence of tuberculosis	7	18,6	23,5	36,8	0	3,5
	22	Incidence of A, B and C-hepatitis	2	5,6	23,6	65,7		2,0
	23	Sexually transmitted diseases (incl HIV)	26	72,3	213,7	287,5	0	21,1
	24	Lyme disease	17	46,4	124,1	1461,0		27,2
	25	Tick-borne viral encephalitis	5	14,8	11,8	51,1	O	3,7
	26	Self-rated health, good or very good (%)		52,9	55,0	30,5	O	62,7
	27	Limitations due to health problems (%)		48,0	30,2	57,0		24,0
Mortality	28	Burden of disease	15315	41162,0	35597,1	42204,2		31714,0
	29	Years of life lost	7816	21241,4	18739,6	24659,4		15654,3
	30	Years of life lived with disability	7499	20641,2	17032,8	21772,3		13344,4
	31	Deaths at age 0-9 years	0	0,0	66,7	98,6		0,0
	32	Deaths under the age of 65	120	418,4	385,0	601,1		288,4
	33	Deaths due to diseases of circulatory system	302	431,7	427,9	541,5		378,4
	34	Deaths due to malignant neoplasms	115	195,1	187,6	222,7	O	165,5
	35	Deaths due to injury and poisoning	40	95,0	85,8	117,7	O	62,6
	36	Deaths due to fires	4	10,2	5,6	11,1		2,8
	37	Deaths due to alcohol-related diseases (men)	16	96,0	69,3	107,1		47,9
	38	Deaths due to alcohol-related diseases(women)	5	28,2	20,4	34,7		5,7
	39	Alcohol-related injuries and deaths in traffic	13	36,2	29,4	86,4		11,5
	40	Serious and deadly work-related accidents	11	80,3	126,5	258,1		46,0

Notes (number in bold refers to the indicator in the table above)

1 crude rate of natural increase per 1000 population 2008-2010. 2 net migration per 1000 population 2008-2010. 3 elderly (65+ years old) people, % of total population 2010. 4 young (0-14 years old) people, % of total population 2010. 5 estimated years left to live at the age of 0, 2009/2010. 6 crude rate per 1000 population aged 16— retirement 2010. 7 average gross salary in euros 2010. 8 % of people whose income is below poverty line 2009. 9 violent offences per 1000 population 2008-2010. 10 air pollution from stationary sources of pollution: tons of particulates (PM-10) per 1000 population 2010. 11 alcohol consumption, at least 1-2 times per week, % of respondents 2006. 12 % of overweight and obese (with BMI>25) of respondents 2006. 13 % of overweight and obese schoolchildren, % of examined by school nurses 2009-2010 1st half-year. 14 % of daily smokers of population aged 16+ 2006. 15 % of mothers smoking in pregnancy 2008-2010. 16 teenage (15-17years) pregnancies per 1000 women of same age 2008-2010. 17 health insurance coverage, % of people aged 20-59 insured, average of quarters 2010. 18 full-time equivalent employment of general practitioners per 100 000 population 2009. 19 long-term care beds per 100 000 population aged 65+ 2010. 20 incidence of malignant neoplasms per 100 000 total population 2007. 21 incidence of tuberculosis per 100 000 total population 2008-2010. 23 incidence of sexually transmitted diseases per 100 000 total population 2008-2010. 24 incidence of Lyme disease per 100 000 total population 2008-2010. 25 incidence of tick-borne viral encephalitis per 100 000 total population 2008-2010. 26 self-rated health, good and very good, % of respondents 2010. 27 % of respondents with limitations of everyday life due to health problems (somewhat or greatly limited) 2010. 28 years of life lost due to morbidity per 100 000 total population 2006. 30 years of life lost due to morbidity per 100 000 total population 2006. 39 years of life lost due to morbidity per 100 000 total population 2006. 39 years